

```
<Spektrum>
Generator="DX9"
VCode=" 1.10"
Originator="SH308XBwsDv7clERUI+3h/1t/yoKy6"
mmNum=150
bCode=3
PosIndex= 5
Type=Acro
curveIndex= 7
enabXPLUS=Disabled
modelImage= 64
Name="151: Timber"
</Spektrum>
```

```
<Acro>
Wing=Ail_1_Flap_1
Tail=Normal
</Acro>
```

```
<EF-Mix>
analogID= 129
conditionID= 0
trimID= 0
activePositions=%0000
outChan= 52
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
mixName="ELE > FLP"
</EF-Mix>
```

```
<AR-Mix>
analogID= 128
conditionID= 0
trimID= 0
activePositions=%0000
outChan= 35
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
mixName="AIL > RUD"
</AR-Mix>
```

```
<FlapSystem>
analogID= 0
conditionID= 85
trimID= 0
speed= 180
flapTarget: -16368 0 9808 0 0
elevatorTarget: 0 1472 2112 0 0
```

```
[Curvedata]
*Index= 0
points= 5
Expo=Disabled
trimActive=Disabled
X: -1023 -511 0 511 1023 0 0
Y: -1023 -511 0 511 1023 0 0
[/Curvedata]
</FlapSystem>
```

```
<Differential>
conditionID= 0
rate: 0 0 0 0 0
</Differential>
```

```
<Diff-Rud>
conditionID= 0
rate: 0 0 0 0 0
</Diff-Rud>
```

```
<Config>
;FrameRate=ms22
FrameRateX=%0001
TrimType=%00000000
trimMode=Normal
thrTrimRev=%00
rfAllowMask=%00
</Config>
```

```
<CenterTone>
*Index= 4
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 5
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 6
```

```
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 7
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 8
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 9
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 10
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<CenterTone>
*Index= 11
alarm=%0001
spare=%0000
action=%0000
</CenterTone>
```

```
<Trainer>
Type=Normal
mixOrNormal=%0000
mixRatio: 100 100 100 100 100 100 100 100 100 100 100 100 100 100
100 100 100 100 100 100 100 100
destSlot: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17
18 19
conditionID_F: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0
conditionID= 92
MOverride=Disabled
activePositions=%00FE
wireless= 1
</Trainer>
```

```
<FMode>
switch_a= 0
switch_b= 0
switch_c= 0
size= 18
fmtable: 0 0 0 0 0 0 1 3 4 0 0 0 2 2 2 0 0 0
activePositions=%0002
</FMode>
```

```
<FManalog>
*Index= 0
Analog= -1023
</FManalog>
```

```
<FManalog>
*Index= 1
Analog= -511
</FManalog>
```

```
<FManalog>
*Index= 2
Analog= 0
</FManalog>
```

```
<FManalog>
*Index= 3
Analog= 511
</FManalog>
```

```
<FManalog>
*Index= 4
Analog= 1023
</FManalog>
```

```
<FManalog>
*Index= 5
Analog= -1023
</FManalog>
```

```
<FManalog>
*Index= 6
Analog= -511
</FManalog>
```

```
<FManalog>
*Index= 7
Analog= 0
</FManalog>
```

```
<FManalog>
*Index= 8
Analog= 511
</FManalog>
```

<FManalog>  
\*Index= 9  
Analog= 1023  
</FManalog>

<Special>  
\*Index= 0  
sourceID= 85  
</Special>

<Special>  
\*Index= 1  
sourceID= 82  
</Special>

<SoftSw>  
\*Index= 0  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 1  
sourceID= 8  
</SoftSw>

<SoftSw>  
\*Index= 2  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 3  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 4  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 5  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 6  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 7  
sourceID= 0

</SoftSw>

<SoftSw>  
\*Index= 8  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 9  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 10  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 11  
sourceID= 0  
</SoftSw>

<SoftSw>  
\*Index= 12  
sourceID= 0  
</SoftSw>

<TrimID>  
\*Index= 0  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 1  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 2  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 3  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 4  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 5

sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 6  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 7  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 8  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 9  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 10  
sourceID= 0  
</TrimID>

<TrimID>  
\*Index= 11  
sourceID= 0  
</TrimID>

<Digital>  
\*Index= 1  
Pos0= 1023  
Pos1= 1023  
Pos2= -1023  
</Digital>

<Digital>  
\*Index= 23  
Pos0= 0  
Pos1= 0  
Pos2= 0  
</Digital>

<Digital>  
\*Index= 24  
Pos0= 0  
Pos1= 0  
Pos2= 0  
</Digital>

```
<Trim>
*Index= 0
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 1
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 2
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 3
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 4
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
```



```
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 5
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 1
trimNextRepeat= 21
</Trim>
```

```
<Trim>
*Index= 6
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 10
trimNextRepeat= 6
</Trim>
```

```
<Trim>
*Index= 7
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 10
trimNextRepeat= 6
</Trim>
```

```
<Trim>
*Index= 8
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 10
trimNextRepeat= 6
</Trim>
```

```
<Trim>
*Index= 9
Pos0= 0
Pos1= 767
Pos2= -767
trimClicks: 0 0 0 0 0 0 0 0 0 0
maxTrimClicks= 50
trimStepSize= 6
trimRepeat= 10
trimNextRepeat= 6
</Trim>
```

```
<Servo>
*Index= 0
sourceID= 32
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 108
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=THR
vSource= 0
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 1
sourceID= 33
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 109
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AIL
```

vSource= 1

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 2
sourceID= 34
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 110
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=ELE
vSource= 2
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 3
sourceID= 35
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 111
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=RUD
```

vSource= 3

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 4
sourceID= 83
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=GER
vSource= 4
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 5
sourceID= 85
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=FLP
```

vSource= 5

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 6
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX2
vSource= 6
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 7
sourceID= 69
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX3
```

vSource= 7

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 8
sourceID= 70
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX4
vSource= 8
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 9
sourceID= 71
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX5
```

vSource= 9

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 10
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX6
vSource= 10
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 11
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=AX7
```

vSource= 11

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 12
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP1
vSource= 12
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 13
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP2
```



vSource= 13

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 14
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP3
vSource= 14
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 15
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP4
```

vSource= 15

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 16
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP5
vSource= 16
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 17
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP6
```

vSource= 17

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 18
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP7
vSource= 18
```

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<Servo>
*Index= 19
sourceID= 0
speed= 32736
conditionID= 107
activePositions=%0002
speedDown= 32736
absLimitHigh= 2047
absLimitLow= 0
trimID= 0
direction=Normal
subTrim= 0
travelLow= -100
travelHigh= 100
name=XP8
```

vSource= 19

```
[Curvedata]
*Index= 0
points= 7
Expo=Disabled
trimActive=Disabled
X: 0 341 682 1023 1364 1705 2047
Y: 0 341 682 1023 1364 1705 2047
[/Curvedata]
</Servo>
```

```
<DR_Expo>
*Index= 0
analogID= 65
conditionID= 87
activePositions=%0002
conditionID1= 0
conditionID2= 0
drHigh: 60 80 100 100 100 0 0 0 0 0
drLow: 60 80 100 100 100 0 0 0 0 0
drHigh1: 100 100 100 100 100 0 0 0 0 0
drLow1: 100 100 100 100 100 0 0 0 0 0
drHigh2: 100 100 100 100 100 0 0 0 0 0
drLow2: 100 100 100 100 100 0 0 0 0 0
expoHigh: 40 40 40 0 0 0 0 0 0 0
assignedCurve: 0 1 2 3 4 4 4 4 4 4
expoLow: 40 40 40 0 0 0 0 0 0 0
</DR_Expo>
```

```
<DR_Expo>
*Index= 1
analogID= 66
conditionID= 84
activePositions=%0000
conditionID1= 0
conditionID2= 0
drHigh: 60 80 100 100 100 0 0 0 0 0
drLow: 60 80 100 100 100 0 0 0 0 0
drHigh1: 100 100 100 100 100 0 0 0 0 0
drLow1: 100 100 100 100 100 0 0 0 0 0
drHigh2: 100 100 100 100 100 0 0 0 0 0
drLow2: 100 100 100 100 100 0 0 0 0 0
expoHigh: 40 40 40 0 0 0 0 0 0 0
assignedCurve: 0 1 2 3 4 4 4 4 4 4
expoLow: 40 40 40 0 0 0 0 0 0 0
</DR_Expo>
```

```
<DR_Expo>
*Index= 2
analogID= 67
conditionID= 86
activePositions=%0000
conditionID1= 0
```

```
conditionID2= 0
drHigh: 60 80 100 100 100 0 0 0 0 0
drLow: 60 80 100 100 100 0 0 0 0 0
drHigh1: 100 100 100 100 100 0 0 0 0 0
drLow1: 100 100 100 100 100 0 0 0 0 0
drHigh2: 100 100 100 100 100 0 0 0 0 0
drLow2: 100 100 100 100 100 0 0 0 0 0
expoHigh: 40 40 40 0 0 0 0 0 0 0
assignedCurve: 0 1 2 3 4 4 4 4 4 4
expoLow: 40 40 40 0 0 0 0 0 0 0
</DR_Expo>
```

```
<P-Mix>
*Index= 0
mixName="Mix 0"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 1
mixName="Mix 1"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
```

```
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 2
mixName="Mix 2"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 3
mixName="Mix 3"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 4
mixName="Mix 4"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 5
mixName="Mix 5"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 6
mixName="Mix 6"
analogID= 0
conditionID= 0
trimID= 0
```

activePositions=%0000  
conditionID1= 0  
conditionID2= 0  
activePositions1=%0000  
activePositions2=%0000  
relation= 0  
outChan= 0

[Curvedata]  
\*Index= 0  
points= 3  
Expo=Disabled  
trimActive=Disabled  
X: -1023 0 1023 0 0 0 0  
Y: 0 0 0 0 0 0 0  
[/Curvedata]  
</P-Mix>

<P-Mix>  
\*Index= 7  
mixName="Mix 7"  
analogID= 0  
conditionID= 0  
trimID= 0  
activePositions=%0000  
conditionID1= 0  
conditionID2= 0  
activePositions1=%0000  
activePositions2=%0000  
relation= 0  
outChan= 0

[Curvedata]  
\*Index= 0  
points= 3  
Expo=Disabled  
trimActive=Disabled  
X: -1023 0 1023 0 0 0 0  
Y: 0 0 0 0 0 0 0  
[/Curvedata]  
</P-Mix>

<P-Mix>  
\*Index= 8  
mixName="Mix 8"  
analogID= 0  
conditionID= 0  
trimID= 0  
activePositions=%0000  
conditionID1= 0  
conditionID2= 0  
activePositions1=%0000  
activePositions2=%0000  
relation= 0



outChan= 0

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 9
mixName="Mix 9"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 10
mixName="Mix 10"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
```

```
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 11
mixName="Mix 11"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 12
mixName="Mix 12"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 13
mixName="Mix 13"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 14
mixName="Mix 14"
analogID= 0
conditionID= 0
trimID= 0
activePositions=%0000
conditionID1= 0
conditionID2= 0
activePositions1=%0000
activePositions2=%0000
relation= 0
outChan= 0
```

```
[Curvedata]
*Index= 0
points= 3
Expo=Disabled
trimActive=Disabled
X: -1023 0 1023 0 0 0 0
Y: 0 0 0 0 0 0 0
[/Curvedata]
</P-Mix>
```

```
<P-Mix>
*Index= 15
mixName="Mix 15"
analogID= 0
conditionID= 0
trimID= 0
```

activePositions=%0000  
conditionID1= 0  
conditionID2= 0  
activePositions1=%0000  
activePositions2=%0000  
relation= 0  
outChan= 0

[Curvedata]  
\*Index= 0  
points= 3  
Expo=Disabled  
trimActive=Disabled  
X: -1023 0 1023 0 0 0 0  
Y: 0 0 0 0 0 0 0  
[/Curvedata]  
</P-Mix>

<ThroCut>  
conditionID= 89  
percent= -6  
rampSpeed= 32736  
activePositions=%FFFE  
</ThroCut>

<ThroCurve>  
analogID= 64  
conditionID= 0  
trimID= 108  
activeMask=%0000  
delay= 0  
mixName="Throttle"  
assignedCurve: 0 1 2 3 1 0 0 0 0 0

[Curvedata]  
\*Index= 0  
points= 5  
Expo=Disabled  
trimActive=Disabled  
curved=Enabled  
X: -1023 -511 0 511 1023 0 0  
Y: -1023 -511 0 511 1023 0 0  
[/Curvedata]

[Curvedata]  
\*Index= 1  
points= 5  
Expo=Disabled  
trimActive=Disabled  
curved=Enabled  
X: -1023 -511 0 511 1023 0 0  
Y: -1023 -511 0 511 1023 0 0  
[/Curvedata]

```
[Curvedata]
*Index= 2
points= 5
Expo=Disabled
trimActive=Disabled
curved=Enabled
X: -1023 -511 0 511 1023 0 0
Y: -1023 -511 0 511 1023 0 0
[/Curvedata]
```

```
[Curvedata]
*Index= 3
points= 5
Expo=Disabled
trimActive=Disabled
curved=Enabled
X: -1023 -511 0 511 1023 0 0
Y: -1023 -511 0 511 1023 0 0
[/Curvedata]
```

```
[Curvedata]
*Index= 4
points= 5
Expo=Disabled
trimActive=Disabled
curved=Enabled
X: -1023 -511 0 511 1023 0 0
Y: -1023 -511 0 511 1023 0 0
[/Curvedata]
</ThroCurve>
```

```
<Warning>
Vibrate=Enabled
Throttle=Over
Thresh= -819
FltMode=%0000
Gear=%0000
Flaps=%0000
chanAchan= 0
chanAtype=Disabled
chanBchan= 0
chanBtype=Disabled
</Warning>
```

```
<Timer>
*Index= 0
Mode=Down
Minutes= 5
Seconds= 0
```

```
oneTime=Disabled
audioX=%00F4
vibeX=%0000
voiceX=%0000
```

voxEv1=%0055  
StartID= 64  
Event= 2  
Thresh= -511  
activePositions=%00FE  
Name="TMR 1"  
</Timer>

<Timer>  
\*Index= 1  
Mode=Disabled  
oneTime=Disabled  
audioX=%00F4  
vibeX=%0000  
voiceX=%0000  
voxEv1=%0055  
StartID= 64  
Event= 2  
Thresh= -511  
activePositions=%00FE  
Name="TMR 2"  
</Timer>

<Telemetry>  
lcdMode= 2  
Screens=%FFFF  
StartID= 0  
Event= 4  
Thresh= -511  
oneTime=Disabled  
sdEnabled= 1  
activePositions=%FFFE

[FlightLog]  
F= 0  
H= 0  
A= 0  
B= 0  
R= 0  
L= 0  
FrameAlarmX=%0000  
HoldAlarmX=%0000  
voxRepStatQoS= 0  
voxRepWarnQoS= 0  
minRx= 43  
maxRx= 81  
RxVoltAlarmX=%0000  
voxRepStatRxV= 0  
voxRepWarnRxV= 0  
[/FlightLog]  
</Telemetry>

<Preflight>  
Mode=Disabled

RF=Disabled

```
[Checklist]
*Index= 0
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
[/Checklist]
```

```
[Checklist]
*Index= 1
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
[/Checklist]
```

```
[Checklist]
*Index= 2
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
[/Checklist]
```

```
[Checklist]
*Index= 3
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
[/Checklist]
```

```
[Checklist]
*Index= 4
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
[/Checklist]
```

```
[Checklist]
*Index= 5
Mode=Disabled
display=""
voxOnEntry=%0000
voxOnCheck=%0000
voxOnClear=%0000
```

[/Checklist]

[Checklist]

\*Index= 6

Mode=Disabled

display=""

voxOnEntry=%0000

voxOnCheck=%0000

voxOnClear=%0000

[/Checklist]

</Preflight>

<FMode\_Names>

[fmName]

\*Index= 0

display="FLIGHT MODE 1"

fmVox=%0049

[/fmName]

[fmName]

\*Index= 1

display="FLIGHT MODE 2"

fmVox=%004A

[/fmName]

[fmName]

\*Index= 2

display="FLIGHT MODE 3"

fmVox=%004B

[/fmName]

[fmName]

\*Index= 3

display="FLIGHT MODE 4"

fmVox=%004C

[/fmName]

[fmName]

\*Index= 4

display="FLIGHT MODE 5"

fmVox=%004D

[/fmName]

[fmName]

\*Index= 5

display="FLIGHT MODE 6"

fmVox=%004E

[/fmName]

[fmName]

\*Index= 6

display="FLIGHT MODE 7"

fmVox=%004F



[/fmName]

[fmName]

\*Index= 7

display="FLIGHT MODE 8"

fmVox=%0050

[/fmName]

[fmName]

\*Index= 8

display="FLIGHT MODE 9"

fmVox=%0051

[/fmName]

[fmName]

\*Index= 9

display="FLIGHT MODE 10"

fmVox=%0052

[/fmName]

</FMode\_Names>

<GUIcontrols>

soundEnabled= 0

trimDispMode= 0

autoTrim= 0

trnrAlerModes=%00AA

trnrAlertInst=%FD8B

trnrAlertStud=%FD8A

trnrAlertSign=%FD8C

</GUIcontrols>

<Voice>

masterVolume= 50

sysVolume= 50

warnVolume= 50

timerVolume= 50

expireVolume= 50

teleRptVolume= 50

teleWarnVolume= 50

userVolume= 50

FModeVolume= 50

sayGeneric=%00000000

[userEvent]

\*Index= 0

conditionID= 89

action:%FD6E %FDB2 %0000 %0000 %0000

[/userEvent]

[userEvent]

\*Index= 1

conditionID= 85

action:%FD8D %FDBE %FDBF %0000 %0000

[/userEvent]

```
[userEvent]
*Index= 2
conditionID= 86
action:%FD38 %0063 %0062 %0000 %0000
[/userEvent]
```

```
[userEvent]
*Index= 3
conditionID= 86
action:%0064 %0000 %0000 %0000 %0000
[/userEvent]
```

```
[userEvent]
*Index= 4
conditionID= 87
action:%FD36 %0063 %0062 %0000 %0000
[/userEvent]
```

```
[userEvent]
*Index= 5
conditionID= 87
action:%0064 %0000 %0000 %0000 %0000
[/userEvent]
```

```
[userEvent]
*Index= 6
conditionID= 83
action:%FDB6 %FE5B %FDB5 %0000 %0000
[/userEvent]
```

```
[userEvent]
*Index= 7
conditionID= 84
action:%FD37 %0063 %0062 %0000 %0000
[/userEvent]
```

```
[userSequence]
*Index= 0
conditionID= 0
actionsInSeq= 0
activePositions=%00FE
repeatPos=%0000
actions:%0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000
%0000 %0000 %0000 %0000 %0000
[/userSequence]
```

```
[userSequence]
*Index= 1
conditionID= 0
actionsInSeq= 0
activePositions=%00FE
repeatPos=%0000
```

actions:%0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000 %0000  
%0000 %0000 %0000 %0000 %0000  
[/userSequence]  
</Voice>

\*EOF\*

→